





# Southern Plains DEWS Activities 2011-2015

Mark Shafer  
University of Oklahoma  
Norman, OK

# Multi-Hazard Context



# Historical Droughts in Oklahoma



**OKLAHOMA CLIMATOLOGICAL SURVEY** Annual Precipitation History with 5-year Tendencies  
Oklahoma Statewide: 1895-2014

# How We Deal With Drought

We have enough water to last a couple of years

That's why we have insurance



dry years are always followed by wet years

GEORGIA: State climatologist fired suddenly amid record drought

# Causes of Drought?

- ✓ Stationary high pressure over a wide regional area
  - Ridge set up over the region and sat all summer
- ✓ Feedback from Dry Soils
  - Dry soils heated rapidly, increased evaporation
- ✓ La Nina during winter & spring
  - Dry winter and spring set stage for soil feedback
- ✓ Cool northern Pacific, Warm Atlantic
  - dry soils
- Widespread drought impacts observed in numerous ecological and economic sectors

# 2011 Southern Plains Drought Impacts

At least \$12B in crop and livestock losses

Lowest cattle inventory in decades

Record low water supply

Most severe wildfires in Texas, New Mexico  
History


Infrastructure: cracked pavement, foundations, water main breaks - 700  
*a day* in Houston at peak

100-500 million trees killed (Texas Forest Service estimate)


In Mexico, 2.5M people in 1,500 communities lacked drinking water




January 2011




April 2011




July 2011




October 2011




January 2012




April 2012




July 2012




October 2012




January 2013




April 2013




July 2013




October 2013




January 2014




April 2014




July 2014




October 2014




January 2015




April 2015




July 2015



October 2015



## U.S. Drought Monitor South



**January 4, 2011**  
(Released Thursday, Jan. 6, 2011)  
Valid 7 a.m. EST

	Drought Conditions (Percent Area)						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	12.28	87.72	58.95	31.71	11.37	0.00	
Last Week 12/28/2010	8.86	91.14	67.65	35.21	10.17	0.00	
3 Months Ago 10/5/2010	54.56	45.44	20.04	7.70	1.40	0.00	
Start of Calendar Year 1/4/2011	12.28	87.72	58.95	31.71	11.37	0.00	
Start of Water Year 9/28/2010	54.23	45.77	20.04	6.79	0.83	0.00	
One Year Ago 1/5/2010	88.70	11.30	3.48	0.80	0.00	0.00	

**Intensity:**




The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

**Author:**  
Anthony Artusa  
NOAA/NWS/INCEP/CPC



<http://droughtmonitor.unl.edu/>

## U.S. Drought Monitor South



**April 5, 2011**  
(Released Thursday, Apr. 7, 2011)  
Valid 7 a.m. EST

	Drought Conditions (Percent Area)						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	10.66	89.34	80.83	63.51	38.29	2.43	
Last Week 3/29/2011	8.33	91.67	79.16	60.10	28.53	0.00	
3 Months Ago 1/4/2011	12.28	87.72	58.95	31.71	11.37	0.00	
Start of Calendar Year 1/4/2011	12.28	87.72	58.95	31.71	11.37	0.00	
Start of Water Year 9/28/2010	54.23	45.77	20.04	6.79	0.83	0.00	
One Year Ago 4/6/2010	80.38	19.62	5.80	0.45	0.00	0.00	

**Intensity:**




The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

**Author:**  
Mark Svoboda  
National Drought Mitigation Center



<http://droughtmonitor.unl.edu/>

## U.S. Drought Monitor South



**July 5, 2011**  
(Released Thursday, Jul. 7, 2011)  
Valid 7 a.m. EST

	Drought Conditions (Percent Area)						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	11.07	88.93	78.07	68.29	61.76	46.80	
Last Week 6/28/2011	11.22	88.78	74.12	67.72	61.57	47.27	
3 Months Ago 4/5/2011	10.66	89.34	80.83	63.51	38.29	2.43	
Start of Calendar Year 1/4/2011	12.28	87.72	58.95	31.71	11.37	0.00	
Start of Water Year 9/28/2010	54.23	45.77	20.04	6.79	0.83	0.00	
One Year Ago 7/6/2010	30.67	19.33	9.18	2.49	0.00	0.00	

**Intensity:**




The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

**Author:**  
Richard Heim  
NCDC/NOAA



<http://droughtmonitor.unl.edu/>

## U.S. Drought Monitor South



**October 4, 2011**  
(Released Thursday, Oct. 6, 2011)  
Valid 7 a.m. EST

	Drought Conditions (Percent Area)						
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	18.31	81.69	77.36	70.07	63.80	55.39	
Last Week 9/27/2011	18.34	81.66	76.26	70.61	63.67	53.77	
3 Months Ago 7/5/2011	11.07	88.93	78.07	68.29	61.76	46.80	
Start of Calendar Year 1/4/2011	12.28	87.72	58.95	31.71	11.37	0.00	
Start of Water Year 9/27/2011	18.34	81.66	76.26	70.61	63.67	53.77	
One Year Ago 10/5/2010	76.05	23.95	9.92	2.68	0.00	0.00	

**Intensity:**



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.


**Author:**  
Richard Tinker  
CPC/NOAA/NWS/INCEP




<http://droughtmonitor.unl.edu/>

# Even as Rainfall Returned to Normal, Sub-Surface Water Issues Lingered

Lower Zone Soil Moisture Anomaly  
NWS River Forecast Center  
Arkansas-Red Basin



Oklahoma Surface Water Resources  
Reservoir Levels and Storage as of 9/2/2014



# Reservoir Monitoring (coming soon!)


<http://www.southernclimate.org>



# Where Are We Now?

## U.S. Drought Monitor

September 22, 2015  
(Released Thursday, Sep. 24, 2015)  
Valid 8 a.m. EDT



Author:  
Eric Luebbehusen  
U.S. Department of Agriculture




### Drought Impact Types:

- ~ Delineates dominant impacts
- S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)

### Intensity:


- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.



<http://droughtmonitor.unl.edu/>

# U.S. Drought Monitor Class Change 3 Months




September 22, 2015  
compared to  
June 30, 2015

# All of this combined into a single weekly product

## U.S. Drought Monitor

September 22, 2015  
(Released Thursday, Sep. 24, 2015)  
Valid 8 a.m. EDT



- D0 Abnormally Dry (30%tile)
- D1 Drought Moderate (20%tile)
- D2 Drought Severe (10%tile)
- D3 Drought Extreme (5%tile)
- D4 Drought Exceptional (2%tile)

### Drought Impact Types:




- ~ Delineates dominant impacts
- S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)

### Intensity:

- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

Author:  
Eric Luebbehusen  
U.S. Department of Agriculture



<http://droughtmonitor.unl.edu/>

# Drought Monitor Development Process

## Monday (5 Days available)

- ✓ Draft map sent to local experts

## Tuesday (6 Days available)

- ✓ Local expert feedback
- ✓ Draft map sent to local experts
- ✓ Draft text sent to local experts

## Wednesday (7 Days available; ending 12Z yesterday)

- ✓ Local expert feedback
- ✓ Draft map(s) sent to local experts
- ✓ Draft text(s) sent to local experts (Outlook)
- ✓ Final map and text sent to secured ftp server

## Thursday

- ✓ Final map & text released on NDMC Website

# Southern Plains Drought Early Warning System

Partnership with NOAA, RISA, NDMC, NIDIS, AASC

Host forums, workshops, and webinars addressing current regional drought issues

21 webinars and 60 drought briefings, which are available on SCIPP's website and YouTube

<http://www.southernclimate.org>

Discuss impacts and management strategies

Promote planning and preparation



# Outlook and Assessment Forums


In-person meetings (Austin, Fort Worth, Lubbock, Abilene, Goodwell, Wichita Falls)

Evolution, current conditions & outlooks

Panel discussions of impacts & management strategies

Outcomes:

- Improved communication
- More guidance on product interpretation
- Explanation of causes



# Webinar Series

Bi-weekly (now as-needed)

Overview of regional drought conditions and outlook

- led by the Drought Monitor authors

Discussion Topic

- Mix of technical and sector-specific information
- Presenters from multiple states, organizations

Comments & Updates from State Climatologists

Recordings posted on YouTube

## MANAGING DROUGHT IN THE SOUTHERN PLAINS

You are invited to join us in a bi-weekly webinar (web-based seminar) series to discuss drought conditions, impacts and resources available to help manage drought in the Southern Plains. Webinars will be held on the 2nd and 4th Thursdays of each month at 11:00 a.m. Central Time. The content is geared toward a general audience – anyone who has responsibility to manage or assist others in managing drought and its related impacts.

If you would like to join in these webinars, you need to register via the SCIPP website: <http://www.southernclimate.org> or e-mail [scipp@mesonet.org](mailto:scipp@mesonet.org). Registration is free but limited to 100 participants, so please register early. Each webinar will last about 20 minutes, plus additional time for questions. You will be provided with a link to the webinar and a toll-free phone line to call in.

Each webinar will include an overview of the current drought assessment and outlook, summary of impacts across the region, a topic or resource, such as La Niña or wildfire conditions. You will have an opportunity to suggest topics for following webinars. The primary focus is in the states most heavily impacted from the current drought - Texas, Oklahoma and New Mexico – but participation from surrounding states is encouraged.

The webinar series is sponsored by a partnership of the National Integrated Drought Information System (NIDIS), National Oceanic and Atmospheric Administration (NOAA), National Drought Mitigation Center, Southern Climate Impacts Planning Program, Climate Assessment for the Southwest, and the region's State Climatologists.

Information from the webinars will be posted on a website linked through <http://www.southernclimate.org> and summarized in an online newsletter, Drought Tracker. Please pass on this announcement to relevant organizations or groups that are involved in managing or monitoring drought and its related impacts.

To register or for more information, contact:  
Southern Climate Impacts Planning Program  
<http://www.southernclimate.org>  
405-325-2541 or [scipp@mesonet.org](mailto:scipp@mesonet.org)

Webinar Topics:

- La Niña
- Cattle & Livestock
- U.S. Drought Monitor
- Ecological Impacts
- Assistance Programs
- Water Supply
- Ranch Drought Planning
- Wildfire
- Drought Ready Communities
- Agricultural Impacts



### La Niña, PDO, AMO and Alphabet Soup




It is remarkable that the Pacific Ocean can influence weather and climate patterns in our region. The key connection is the location and strength of the jet streams. The jet stream, as we know it, is part of the prevailing westerlies: a band of air that generally travels from west to east about midway between the equator and the poles in both the northern and southern hemispheres. However, the westerlies are just one part of the global circulation. Near the equator and near the poles, the air at the surface actually travels from east to west, although not usually as strongly. This motion may be apparent in the paths of hurricanes that travel westward across the ocean before turning northward and eastward as they get to higher latitudes.

Uneven heating of the earth from the sun creates warm air – and water – near the equator and cold air near the poles. The heat near the equator causes air to rise and form thunderstorms and towering rain showers. But what goes up, must come down. The rising air in the tropics travels northward and sinks in the subtropics, roughly between 20 and 40 degrees latitude. Sinking air creates surface high pressure systems, while rising air near the equator creates low pressure at the surface. A similar circulation pattern happens northward, resulting in two jet streams – a sub-tropical jet to the south and a midlatitude or polar jet to the north, both forming in the band of westerlies.

The easterly winds near the equator push warm water westward, allowing colder water from below to rise to the surface (to “upwell”) along the coast of Peru. During La Niña, this pattern is intensified with the warmer water pushed further westward, leaving the water in the central and eastern Pacific cooler than normal, what scientists often call a “cool anomaly”. The warm water in the western Pacific enhances convection (storms), strengthening the low-pressure and the tropical easterlies and meanwhile strengthening the high pressure north and east of the area as the air sinks. The stronger-than-normal high pressure diverts the jet stream northward which enhances storminess in the Pacific Northwest, along the position of the midlatitude jet stream, and weakens the subtropical jet stream. The storms eventually may turn southward again further east, bringing storms to the southern U.S. but leaving the southwest and Gulf Coast region relatively dry. During the winter of 2010-2011, this persistent pattern kept storms from the area, although several events did make it into the region.

This past winter was a moderate-to-strong La Niña event which moderated in the spring and ended in May. It is not unusual to have a second La Niña event follow on its heels, as seen to be the case this year, with a new La Niña event developing since August. It is important to recognize that the weather over the past year had been extreme by any measure: a second La Niña does not necessarily mean that the rainfall, again, will be less than half of normal. However, drought consequences for water supplies tend to be cumulative, so even a moderately below-normal year would produce a worsening of water supply conditions in many areas.

La Niña and its warm-anomaly counterpart El Niño, vary substantially from one year to the next. However, there are longer-term variations in the North Pacific Ocean, called the Pacific Decadal Oscillation (PDO) and the Atlantic Ocean, called the Atlantic Multi-Decadal Oscillation (AMO). Negative values of the PDO generally favor consistently dry patterns in the Southern U.S. Likewise, dry Plains are associated with a positive AMO, which implies unusually warm temperatures in the northern half of the Atlantic Ocean. The last time a negative PDO aligned with a positive AMO was the 1950s-1960s, which included the drought-of-record in both Texas and Oklahoma. Since they became aligned again around 2000, the region has suffered several short-term droughts, lasting up to 12 months. The general pattern favoring dryness could continue for 3-15 years, although individual wet years associated with El Niño conditions would lessen the impacts substantially.



# Drought Briefings








Needed to manage the workload

- Several days to plan, produce and summarize each webinar
- Difficulty in arranging presenters
- Patience to watch hour-long webinars

...but needed to keep people engaged and updated

Briefings still draw a regular audience

- Fairly low overhead
- Keeps people engaged so can go to them for further information
- Can help recruit participation in other events (workshops, forums, studies)
- Expand into short videos on topics?





# Field Photos Weekends

- Conducted 3x annually since Labor Day 2012
  - Presidents Day (February)
  - Memorial Day (March)
  - Labor Day (September)
- Goal: to collect nearly simultaneous observations across the whole country
  - Both drought and non-drought areas
- Longitudinal analysis if repeat observers
- 3,681 photos collected to-date

# What's Wrong With This Picture?



# Thank You!

Mark Shafer  
Southern Climate Impacts  
Planning Program  
Norman, Oklahoma  
[mshafer@ou.edu](mailto:mshafer@ou.edu)  
(405) 325-3044



Support Provided by:  
NOAA Regional Integrated Sciences and Assessments (RISA)  
NOAA Sectoral Applications Research Program (SARP)  
NIDIS / Coping With Drought